

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US05/002299

International filing date: 25 January 2005 (25.01.2005)

Document type: Certified copy of priority document

Document details: Country/Office: US
Number: 60/539,921
Filing date: 28 January 2004 (28.01.2004)

Date of receipt at the International Bureau: 03 March 2005 (03.03.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse

1286302

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

February 16, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/539,921

FILING DATE: *January 28, 2004*

RELATED PCT APPLICATION NUMBER: *PCT/US05/02299*



Certified by

Under Secretary of Commerce
for Intellectual Property
and Director of the United States
Patent and Trademark Office

EV317240238US

PTO/SB/16 (08-03)

Approved for use through 07/31/2006. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).

Express Mail Label No. EV317240238US

22154 U.S. PTO
60/539921

012804

INVENTOR(S)					
Given Name (first and middle (if any))		Family Name or Surname		Residence (City and either State or Foreign Country)	
Andrew		Thomas		Evanston, Illinois	
<input type="checkbox"/> Additional inventors are being named on the _____ separately numbered sheets attached hereto					
TITLE OF THE INVENTION (500 characters max)					
SYSTEM AND METHOD FOR MANAGING THE DELIVERY OF ORDERS FOR GOODS					
Direct all correspondence to: CORRESPONDENCE ADDRESS					
<input checked="" type="checkbox"/> Customer Number		34018			
OR					
<input type="checkbox"/> Firm or Individual Name					
Address					
Address					
City		State		ZIP	
Country		Telephone		Fax	
ENCLOSED APPLICATION PARTS (check all that apply)					
<input checked="" type="checkbox"/> Specification Number of Pages		24	<input type="checkbox"/> CD(s), Number		
<input checked="" type="checkbox"/> Drawing(s) Number of Sheets		8	<input checked="" type="checkbox"/> Other (specify)		return postcard
<input type="checkbox"/> Application Data Sheet. See 37 CFR 1.76					
METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT					
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27.				FILING FEE AMOUNT (\$)	
<input checked="" type="checkbox"/> A check or money order is enclosed to cover the filing fees					
<input checked="" type="checkbox"/> The Director is hereby authorized to charge filing fees or credit any overpayment to Deposit Account Number		50-2428			\$160.00
<input type="checkbox"/> Payment by credit card. Form PTO-2038 is attached.					
The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.					
<input checked="" type="checkbox"/> No.					
<input type="checkbox"/> Yes, the name of the U.S. Government agency and the Government contract number are: _____					

Respectfully submitted,

SIGNATURE

Date

01/28/04

TYPED or PRINTED NAME

Gary R. Jarosik

REGISTRATION NO.

35,906

(if appropriate)

Docket Number:

31083.10US1

TELEPHONE

(312) 456-8449

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the completed application to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Provisional Application,

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

SYSTEM AND METHOD FOR MANAGING THE DELIVERY OF ORDERS FOR GOODS

5

FIELD OF INVENTION

This invention generally relates to a system and method for managing the delivery of goods and, more particularly, to a system and method which functions to manifest and control route-based delivery of orders for goods (e.g., packages) from a central servicing warehouse of a vendor to one or more locations easily accessible by customers.

BACKGROUND

In the art, various systems and methods for delivering goods to customers at remote locations are known. By way of example, published U.S. Patent Application No. 2002/0035515, entitled "System And Method For Remotely Coordinating The Secure Delivery Of Goods," describes a system that enables a customer to specify a delivery of goods while allowing a vendor to schedule the delivery of the goods without requiring the availability of the customer. To this end, the described system and method utilizes a secure storage unit which contains a plurality of individual lockers to which goods may be delivered at the convenience of the vendor and retrieved at the convenience of the customer. Access to the interior of a locker is controlled by a server which is in communication, via an Internet or other network connection, with a mechanism that controls the opening and closing of the locker. The server controls the accessing and operation of the locker either directly or in combination with a controller associated with a locker. The controller is suitably situated in a kiosk that provides user interfaces by which customers, vendors, and/or common carriers access and utilize the locker. The kiosk may also include other vending machines and dispensing devices which are also preferably under the

control of the server. A storage unit having a plurality of lockable lockers, a settling unit for settling charges for the delivery of goods, and a locker door controlling unit for controlling the opening and closing of a door provided to each of the plurality of lockers is also described in U.S. Patent No. 6,456,900, entitled "Locker Type Merchandise Delivering System."

5 Still further, published U.S. Patent Application No. 2002/0161475, entitled "Apparatus And Method For Improved Vending Machine Inventory Maintenance," describes providing a vending machine with a unique identifier which is used to provide a central processing center, which is connected to the vending machine via a network, with information concerning goods dispensed from the vending machine. The central processing unit utilizes the information to
10 schedule maintenance visits to the vending machine. In particular, the information is utilized to efficiently schedule the delivery of replacement inventory to a system of vending machines. A further system for monitoring inventory of storage units, such as mailboxes, bins, and shelves, is described in published U.S. Patent Application No. 2003/0052778.

 While the systems described in these references generally work for their intended
15 purpose, the described systems fail to address the need for a system and method that facilitates, documents, and controls the delivery of orders for goods from one or more centralized warehouses to a network of remote locations in a quick and reliable manner and which provides current and accurate information about the location and the status of orders and associated
20 inventory.

SUMMARY OF THE INVENTION

To address this and other needs, the following describes a system and method for managing the delivery of orders for goods and, more particularly, for manifesting and controlling

route-based delivery of orders for goods from a central servicing warehouse of a vendor to one or more locations easily accessible by customers.

An appreciation of the objects, advantages, features, properties and relationships of the system and method will be obtained from the following detailed description and accompanying
5 drawings which set forth illustrative embodiments that are indicative of the various ways in which the principles thereof may be employed.

BRIEF DESCRIPTION OF THE DRAWINGS

For a better understanding of the disclosed system and method for managing the delivery
10 of orders for goods, reference may be had to preferred embodiments shown in the following drawings in which:

Figure 1 is a flow chart illustrating exemplary steps in a goods ordering process;

Figure 2 is a flow chart illustrating exemplary steps in an order delivery preparation
process;

15 Figure 3 is a flow chart illustrating exemplary steps in an order delivery process;

Figure 4 is a flow chart illustrating exemplary steps in an order pickup process; and

Figure 5 is a flow chart illustrating exemplary steps in an order return process.

DETAILED DESCRIPTION

20 With reference to the figures, a system and method for managing the delivery of orders for goods is hereinafter disclosed. As will become apparent, the disclosed system and method provides for manifesting and controlling route-based delivery of orders for goods from a central servicing warehouse of a vendor to one or more locations easily accessible by customers.

Generally, the customer accessible locations may be remote sites or facilities that hold and deliver goods to customers, and could include retail stores, sales offices, supply rooms, will-call pick up points, vending machines, self-service lockers, etc. While not required, it is preferred that the customer accessible locations be automated with self-service vending machines and/or will-call lockers under the control of a system (ideally centralized and automated) that can receive and actively manage manifest information. In such an environment, the shipment of orders for goods could be “will-call” orders, previously placed by customers, that are being transported and staged at more convenient facilities on or very near the premises of an ordering customer. Furthermore, the orders could be replenishment orders, to restock inventories at the remote sites that have been drawn down below predetermined reorder points.

To facilitate the delivery of orders for goods, the remote sites may be assigned to a “route” which a delivery truck will follow from a fulfilling location to the one or more of the remote sites assigned to the route. While traveling the route, the delivery truck may pick up goods, such as returns, as well as drop off deliveries of orders for goods. The route assignments and delivery runs could be ad hoc, based on demand, but are preferably somewhat fixed and serviced daily or more frequently according to a regular schedule. Routes and schedules may then be designed for maximum logistical efficiency, to minimize drive time and distance, and to avoid bottlenecks and heavy traffic.

To initiate the delivery, orders for goods are preferably received at a central servicing warehouse for picking, packaging, and staging for delivery via a delivery truck, as is illustrated in Fig. 1. Ordering may be accomplished by a customer calling a customer service representative associated with central servicing warehouse. Orders could also be generated manually or automatically to restock inventories at remote sites that have been drawn down

below predetermined reorder points. It will also be appreciated that orders may be directed to the central servicing warehouse by means of an Internet Web site, e-mail, EDI, or the like using conventional e-commerce technology.

Once an order for goods is received, the system may then determine if the customer
5 and/or goods are eligible for delivery according to the processes described hereinafter. In this regard, customer qualification may be determined by simply inquiring if the customer is in a location that has access to a remote site of the system. Additional qualification tests may include an inquiry into the credit worthiness of the customer, i.e., does the customer have an account with the vendor, a determination if the requested goods are currently in stock, a determination if
10 any of the requested goods are of a type ineligible for processing in the manner described hereinafter (e.g., a combustible/flammable or hazmat designated good), etc. If it is determined that either the customer or the requested goods are ineligible for delivery via the processes described hereinafter, the customer will be so notified and, possibly, provided with alternative means for receiving the goods. It is to be appreciated that the eligibility determinations may be
15 fully or partially automated without limitation.

When it is determined that the requested goods may be delivered to the customer via the processes described hereinafter, the system preferably determines an exact ship-to location for the order for goods. By way of example, the ship-to location may be a remote site with a staff and a secure storage area or may include one or more secure lockers and/or vending machines for
20 receiving, holding, and releasing orders to customers. Again, this process may be fully or partially automated (e.g., the system may automatically assign, or display to an operator for selection, lockers based upon locker availability, locker size requirements, etc.). If no ship-to location is found to be available for the requested order for goods, the customer may be so

notified and, possibly, provided with an alternative means for receiving the requested goods. If the appropriate ship-to locations are found to be available, a standard order may be placed for the goods which will indicate the corresponding ship-to locations.

To provide access to the order for goods once delivered to a ship-to location, in the case
5 where a ship-to location is an automated, secure locker or the like, the system may additionally determine if the customer has a personal identification number ("PIN") on file. As will be appreciated, a PIN may be used by the customer in a conventional manner to open a securable ship-to location. If the customer does not have a PIN, the customer may provide a PIN to the system or the system may automatically assign a PIN to the customer. An assigned PIN may be
10 limited to a single-use, i.e., be an Order Release Number ("ORN") for that order. In any of these cases, the PIN or ORN for the customer may then be associated with the order for later entry into the system as the code needed to access the ship-to location once the order for goods has been delivered. The customer may also be provided with an opportunity during the ordering stage to provide contact information to the system whereby the system may issue tracking and/or delivery
15 status to the customer related to the order. The contact information may include a phone number, e-mail address, or the like.

To prepare the ordered goods for delivery to one or more ship-to locations, a check is preferably made to determine if, in fact, the requested goods are in stock and available at the central servicing warehouse. It will be appreciated that this availability process may be
20 performed manually and/or be automated. In the event that the process determines that all of the requested goods are not in stock, the customer may be provided with an opportunity to cancel the delivery of all of the requested goods, modify the order for goods, or request the delivery of those goods that are in stock. If the checking process is manual, it usually would occur at the

same time as the goods are physically pulled from inventory and committed to filling a specific order. As generally illustrated in Fig. 2, this process would usually also entail the retrieval and staging of the ordered goods, and their designation as packages, or their aggregation and repacking into packages as necessary, in a suitable way, that will make up the constituent parts of the order for physical transportation and delivery to the remote site and eventually to the customer.

More specifically, the described processing of orders utilizes a manifesting process which functions to provide current, accurate information about the location and status of orders and the associated inventory of goods, and to document and control the hand-off of custody between the parties involved in the process. As illustrated in Fig. 3, the manifesting process preferably begins when all outstanding orders to be transported to ship-to sites on a specific route are identified and are compiled into a logical grouping, referred to hereinafter as a “draft manifest.” The manifesting process would preferably keep track of the relationship between orders and the packages that make them up, and may additionally print out totals of both orders and packages to aid in the delivery process. If not already done at the packing state described earlier, the warehouse staff would designate and mark multiple packages associated with an order (e.g., as “1 of 3,” “2 of 3,” and “3 of 3”). They would then update the “number of packages” field in the manifest system from the default value of 1 (to in the example case “3”). In this manner, warehouse staff (or an automated process) may access the draft manifest to identify orders or packages which may then be physically segregated into a designated staging area near a shipping dock. The aggregated orders or packages may be further reviewed against the draft manifest to confirm that all the orders or packages listed, and no others, are in fact going out on the next delivery truck for that route. In the event that this further check determines that any orders or

packages are missing or incomplete, or orders or packages cannot be put on the truck for reason of lack of space, hazardous material restrictions, etc., entries in the draft manifest are preferably deleted, added and/or modified until the draft manifest properly reflects the actual collection of orders or packages that will be loaded on the truck.

5 When packaged for delivery, each drop off container which contains the orders or packages to be delivered is preferably separately identified with a tracking number, barcode label, RFID tag, or the like. Additional labels may also be supplied to shipping containers having deliverable goods that require special handling instructions, e.g., fragile, HAZMAT or the like, which label would include any required special handling instructions. The identification of
10 such goods may also be automatically printed and attached to the driver's hard copy of the manifest, in case of accident, and as required by law. Labels may also be applied to shipping containers which indicate the put away location of the orders or packages at the ship-to site to simplify and improve the speed of stocking the ship-to site (e.g., the specific locker which may be pre-identified and documented as part of the picking and packing process). Still further, the
15 orders or packages may be organized in route delivery sequence for allowing the driver to follow the most efficient route and to enable a truck to be loaded in last in first out order to thereby simplify and speed up the unloading of the truck at each delivery site.

 Once it is determined that the draft manifest record accurately reflects the collection of orders or packages to be loaded, the draft manifest file is "committed," i.e., the "committed
20 manifest" becomes the official, permanent record of the delivery consigned to the truck for that run on that route. Hard copies of the committed manifest may be printed to document and support various physical steps in the process. For example, a hard copy of the committed manifest could be printed for the truck driver to document the sequence of stops at remote sites

and the specific orders or packages to be dropped off at each stop. A hard copy of the committed manifest could also be printed for the warehousemen to document the specific orders or packages and associated inventory consigned to the driver. In this regard, the driver could sign the copy of the warehousemen to acknowledge receipt of the orders or packages.

5 The committed manifest record is further posted into the warehouse inventory management system to update the records to reflect the fact that the inventory has left the building and is now under the control of the truck driver. Furthermore, the information in the committed manifest record may be communicated to the receiving and/or inventory control system at each of the remote sites to advise them of the orders or packages to expect. In this
10 regard, if a PIN or ORN is associated with a manifest delivery record, the inventory control system associated with the ship-to site may also be informed of the PIN or ORN at this time, e.g., in the case where the ship-to site includes a secure locker. It will be further appreciated that electronically transmitting detailed information to the ship-to site concerning the manifested orders or packages will not only speed up driver delivery of the orders or packages to the ship-to
15 site (especially in the case of where machines are to be loaded), but will also improve overall accuracy, as the driver only has to communicate enough information to identify the orders or packages to the ship-to site. In addition, electronically sending sensitive information to the ship-to site, such as the contents of an order, or the automated release code, reduces risk of theft.

 When the delivery driver arrives at the remote site, as illustrated in Fig. 4, the inventory
20 control system of the ship-to site, knowing what orders or packages to expect, logically checks off each order or package as it is tendered. The order or package identification data associated with the check-off procedure may be entered into the inventory control system manually or automatically. For example, the driver may read the order or package barcode(s) into the

inventory control system with a scanner or key the number into a keypad associated with the inventory control system. Alternatively, the ship-to site may be equipped with an RFID system that would read RFID tags associated with the order or package for entering data into the inventory control system.

5 During the delivery process, if the driver tenders an order or package that the staff or inventory control system was not told to expect, the staff or the inventory control system preferably advises the driver that the order or package may be being tendered in error. To this end, the inventory control system may indicate a visual or audible “order or package not recognized” signal which would generally indicate a keying error, an order or package intended
10 for a later site, etc.

 At the end of the delivery process, if the staff or the inventory control system was expecting an order or package that has not been tendered, the driver may be advised or issued a further signal for the purpose of notifying the driver that the delivery was incomplete. To this end, the staff or the inventory control system may continually ask the driver if there is another
15 order or package to put away until it has received all of the orders or packages the staff or inventory control system was told to expect. If the driver indicates “no” (for example, by interacting with a keypad), the inventory control system may respond with a “delivery incomplete” message/signal, usually indicating to the driver that the committed manifest indicated that there is another order or package for this site still on his truck. The driver is
20 preferably required to override the “delivery incomplete” message/signal to terminate the put away process. Overriding the “delivery incomplete” message may result an alert condition that causes certain automated communications to be issued. Any overage in the put away process may similarly create an alert condition that causes certain automated communications to be

issued. Generally, communication concerning any underage or overage of package placements could be sent real-time to a supervisor or a security monitoring system, as evidence of possible theft; to the inventory system(s), as an alert to a probable inventory discrepancy; and/or to a delivery performance measurement system.

5 Once the delivery process has been completed, the staff or the inventory control system of the ship-to site preferably transmits the results of the delivery process to the manifesting system of the vendor, thereby creating a very abuse-resistant and error-resistant closed loop control mechanism. Upon receiving the results of the delivery process, the inventory records of the vendor manifest system may be updated to reflect the fact that the orders or packages have
10 been received at the remote sites and are available at that location. As such, anyone with access to the manifest system of the vendor, which may include the customer, can see the location and status of any order or package in close to real-time, and could do a physical inventory against any truck or remote ship-to site. In this same manner, the removal of orders or packages from a ship-to site may also be reported to the manifest system of the vendor to ensure a continued
15 update of the inventory records of the vendor.

 Upon completing delivery of the orders or packages to the appropriate ship-to site, the customer may now access the ship-to site to retrieve the orders or packages at their convenience. As noted, the retrieval of the orders or packages may require the customer to enter a PIN or ORN into the inventory control system of the ship-to site before being allowed access to orders or
20 packages. Preferably, the customer is provided with an opportunity to then inspect the goods to accept or reject the order (for example, by interacting with designated keys of a keypad). In the case where the customer indicates an acceptance of an orders or package, it is anticipated that the customer will then remove the order or package from the ship-to site and, accordingly, the

acceptance of the order or package from the ship-to site is preferably reported back to the manifest system of the vendor and additional processing may be performed, for example, billing of the customer, debiting of a customer account, etc. It is to be understood that the acceptance and removal of an order or package from the ship-to site and the reporting of such action to the manifest system of the vendor could be fully automated, in particular when automated dispensing technology is used at the ship-to site.

In the event that the customer rejects the goods that have been delivered to the ship-to site, the staff or system may implement a return process from the ship-to site. As illustrated in Fig. 5, the goods return process is preferably initiated by the ship-to site notifying the vendor of the rejection of the order at which time the vendor may schedule a return of the driver to the ship-to site. The “to-be-returned” status is also preferably entered into the manifesting system of the vendor at this time. In this manner, when the driver returns to the ship-to site, the driver may identify himself to the staff or inventory controller of the ship-to site whereupon the ship-to site may prompt the driver to remove the orders or packages to be returned. Once the driver removes the orders or packages to be returned from the ship-to site, the ship-to site preferably sends a transmission to the manifest system of the vendor to notify the vendor to expect the orders or packages for receipt back at the warehouse. Upon returning the orders or packages to the warehouse, a warehouse associate preferably communicates the receipt of the returned orders or packages to the manifest system of the vendor and the goods may then be re-shelved, marked as damaged, etc. It will be appreciated that this “reverse logistics” shipment method may also be used to inform a route driver to pick up other goods or items for return to a storing or servicing warehouse (e.g., returned goods, abandoned deliveries, empty containers, etc.) while providing a means to control and audit such returns.

The system may also be adapted to react to customer order cancellations. For example, should the customer cancel an order for goods while the goods are staged for delivery or en-route to the ship-to site, i.e., at a time after the manifest has been committed, the system may react by notifying the staff or inventory control system of the ship-to site to remove the order as an expected delivery. The manifest system will also initiate the necessary steps to return goods into inventory at the warehouse. Similarly, should the customer cancel an order for goods after the orders or packages have been delivered to the ship-to site, the system may react by initiating a return order process similar to the one used if the customer rejected the goods upon inspection.

To further enhance customer satisfaction with the described system for delivering orders for goods, the system may also provide customers with order “cut-off” times for ship-to sites on specific routes, whereby the customer will know a time-by which to place an order to ensure delivery at his chosen site within a given time frame. This information may be provided to a customer by being published, for example, via means of a Web site, telephone access system, brochure describing the service, or the like. The draft manifest may then be generated automatically at the published “cutoff” time for a route, or a few minutes later to allow for processing delays.

While specific embodiments of the invention have been described in detail, it will be appreciated by those skilled in the art that various modifications and alternatives to those details could be developed in light of the overall teachings of the disclosure. For example, the various processes described and illustrated may be implemented using either hardware and/or software without limitation. Furthermore, it is to be appreciated that the order of various of the process steps described herein may be varied to achieve the same results. Accordingly, the particular arrangements disclosed are meant to be illustrative only and not limiting as to the scope of the

invention which is to be given the full breadth of the appended claims and any equivalents thereof.

All of the references cited to within this document are hereby incorporated by reference in their entirety.

CLAIMS

What is claimed is:

1. A system for facilitating and controlling route-based delivery of orders for goods from a central servicing warehouse to a network of remote ship-to sites, comprising:

5 a manifesting system for implementing a manifesting process used to manage and document the location and status of the orders for goods, associated inventory of goods in the central servicing warehouse, and the hand-off at a ship-to site of custody of an order for goods between parties involved in the process.

10 2. The system as recited in claim 1, wherein the manifesting process identifies and compiles into a draft manifest a logical grouping of all outstanding orders to be transported to ship-to sites on a specific route and which determines and documents which orders for goods are to go out on a next delivery truck for that specific route.

15 3. The system as recited in claim 2, wherein the manifesting process converts a draft manifest to a committed manifest, where the committed manifest becomes the official, permanent record of the orders for goods consigned to the truck for that run on that specific route, when it is determined that the draft manifest record accurately reflects the orders for goods to be loaded on the truck.

20 4. The system as recited in claim 3, wherein the manifesting process posts the committed manifest record into an order management system of a vendor to update records to reflect that the orders for goods have left the central servicing warehouse and are on route to remote ship-to

sites.

5. The system as recited in claim 3, wherein the manifesting process posts the committed manifest record into an inventory management system of a vendor to reflect that the orders for goods is now under the control of a driver of that truck.

6. The system as recited in claim 3, wherein the manifesting process communicates the committed manifest to an inventory control system at ship-to sites on the route for that truck to advise the inventory control systems of the orders for goods to expect on the next delivery.

7. The system as recited in claim 6, wherein the manifesting process electronically transmits sensitive supporting information concerning the committed manifest to the inventory control system at ship-to sites on the route for that truck to simplify and speed up acceptance and put-away of orders for goods; reduce time, cost and error of manual data entry; and to reduce risk of theft.

8. The system as recited in 7, wherein the inventory control system of the ship-to sites logically checks off each order for goods, as it is tendered by the driver, against a list of orders for goods it is expecting as indicated by the committed manifest and advises whether orders for goods are either not expected or missing.

9. The system as recited in claim 8, wherein the inventory control system automatically generates and sends a communication alert to a supervisor or a security monitoring system when

an inventory control system detects orders for goods that are either not expected or missing.

10. The system as recited in claim 8, wherein the inventory control system of a ship-to site transmits delivery results to the manifesting system so that inventory records of the manifesting system may be updated to reflect that the orders for goods have been received at the ship-to site and are available for pick up by a customer at that location.

11. The system as recited in claim 8, wherein the manifesting process requires a customer to identify themselves appropriately at a ship-to site using a previously determined PIN or ORN in order to be allowed access to an order for goods.

12. The system as recited in claim 8, wherein the inventory control system of the ship-to sites provides the customer with an opportunity to inspect the goods to accept or reject an order for goods.

13. The system as recited in claim 8, wherein the inventory control system of the ship-to sites reports back an acceptance and removal of an order for goods by the customer to the manifesting system so that order status and inventory records may be updated.

14. The system as recited in claim 13, wherein the manifesting system causes billing of the customer in response to receiving a notification of the acceptance and removal of an order for goods by the customer.

15. The system as recited in claim 13, wherein the manifesting system causes a debiting of a customer account in response to receiving a notification of the acceptance and removal of an order for goods by the customer.

5 16. The system as recited in claim 8, wherein the inventory control system of a ship-to site initiates a goods return process for rejected orders, returned goods, abandoned deliveries, or empty containers by creating a to-be-returned reverse logistics order in the manifesting system which functions to notify a vendor to expect the goods for receipt back at the central servicing warehouse.

10 17. The system as recited in claim 16, wherein the manifesting process responds to a to-be-returned logistics order by scheduling a driver to pick up the goods to be returned on a next visit to the ship-to site.

15 18. The system as recited in claim 17, wherein inventory control system at a ship-to site records a time the driver picks up the goods to be returned and notifies the manifesting system of the time.

19. The system as recited in claim 18, wherein receipt of the goods to be returned is confirmed
20 by the central servicing warehouse and entered into the manifesting system.

20. The system as recited in claim 2, wherein the manifesting system facilitates and controls route-based delivery of orders for goods by using an order cut-off time for all the ship-to sites on

a specific delivery routes whereby customers will know a time by which to place an order for goods to ensure delivery at their chosen ship-to site within a given time frame.

22. The system as recited in claim 21, where the draft manifest is generated automatically in
5 response to attaining the cut-off time for that route.

23. A method for facilitating and controlling route-based delivery of orders for goods from a central servicing warehouse to a network of remote ship-to sites, comprising:

managing and documenting the location and status of the orders for goods, associated
10 inventory of goods in the central servicing warehouse, and the hand-off at a ship-to site of custody of an order for goods between parties by means of a manifesting process wherein the manifesting process identifies and compiles into a draft manifest a logical grouping of all outstanding orders to be transported to ship-to sites on a specific route and which determines and documents which orders for goods are to go out on a next delivery truck for that specific
15 route.

24. The method as recited in claim 23, comprising converting a draft manifest to a committed manifest, where the committed manifest becomes the official, permanent record of the orders for goods consigned to the truck for that run on that specific route, when it is determined that the
20 draft manifest record accurately reflects the orders for goods to be loaded on the truck.

25. The method as recited in claim 24, comprising posting the committed manifest record into an order management system of a vendor to update records to reflect that the orders for goods

have left the central servicing warehouse and are on route to remote ship-to sites.

26. The method as recited in claim 24, comprising posting the committed manifest record into an inventory management system of a vendor to reflect that the orders for goods is now under the control of a driver of that truck.

27. The method as recited in claim 24, comprising communicating the committed manifest to an inventory control system at ship-to sites on the route for that truck to advise the inventory control systems of the orders for goods to expect on the next delivery.

28. The method as recited in claim 27, comprising electronically transmitting sensitive supporting information concerning the committed manifest to the inventory control system at ship-to sites on the route for that truck to simplify and speed up acceptance and put-away of orders for goods; reduce time, cost and error of manual data entry; and to reduce risk of theft.

29. The method as recited in 28, wherein the inventory control system of the ship-to sites logically checks off each order for goods, as it is tendered by the driver, against a list of orders for goods it is expecting as indicated by the committed manifest and advises whether orders for goods are either not expected or missing.

30. The method as recited in claim 29, wherein the inventory control system automatically generates and sends a communication alert to a supervisor or a security monitoring system when an inventory control system detects orders for goods that are either not expected or missing.

31. The method as recited in claim 29, wherein the inventory control system of a ship-to site transmits delivery results to the manifesting system so that inventory records of the manifesting system may be updated to reflect that the orders for goods have been received at the ship-to site
5 and are available for pick up by a customer at that location.

32. The method as recited in claim 23, comprising requiring a customer to identify themselves appropriately at a ship-to site using a previously determined PIN or ORN in order to be allowed access to an order for goods.

10 33. The method as recited in claim 27, comprising providing the customer with an opportunity to inspect the goods to accept or reject an order for goods.

34. The method as recited in claim 33, comprising reporting to the manifesting system an
15 acceptance and removal of an order for goods by the customer so that order status and inventory records may be updated.

35. The method as recited in claim 34, wherein the manifesting system causes billing of the customer in response to receiving a notification of the acceptance and removal of an order for
20 goods by the customer.

36. The method as recited in claim 34, wherein the manifesting system causes a debiting of a customer account in response to receiving a notification of the acceptance and removal of an

order for goods by the customer.

37. The method as recited in claim 34, comprising initiating a goods return process for rejected orders, returned goods, abandoned deliveries, or empty containers by creating a to-be-returned reverse logistics order in the manifesting system which functions to notify a vendor to expect the goods for receipt back at the central servicing warehouse.

38. The method as recited in claim 35, wherein the manifesting process responds to a to-be-returned logistics order by scheduling a driver to pick up the goods to be returned on a next visit to the ship-to site.

39. The method as recited in claim 36, comprising recording a time the driver picks up the goods to be returned and notifying the manifesting system of the time.

40. The method as recited in claim 37, comprising confirming receipt of the goods to be returned at the central servicing warehouse and entering information concerning the return into the manifesting system.

41. The method as recited in claim 34, comprising facilitating control of route-based delivery of orders for goods by using an order cut-off time for all the ship-to sites on a specific delivery routes whereby customers will know a time by which to place an order for goods to ensure delivery at their chosen ship-to site within a given time frame.

42. The method as recited in claim 41, comprising generating the draft manifest in response to attaining the cut-off time for that route.

ABSTRACT

A system and method for managing the delivery of goods. The system and method particularly provides for manifesting and controlling route-based delivery of orders or packages from a vendor to one or more locations accessible by customers. The locations may include automated, self-service vending machines and/or will-call lockers, under the control of a system (ideally centralized and automated) that can receive and actively manage manifest information.




FIGURE 1




FIGURE 2




FIGURE 3A





FIGURE 3B

FIGURE 3C






FIGURE 4A

Staging / Customer Pick-up Process




FIGURE 4B

FIGURE 5

